

Reflectorless Total Stations

GM-50 Series



Durable, Accurate
Manual Total Station

Reflectorless Total Stations

GM-50 Series

Topcon GM-50 Series total stations – advanced design with superior technology

The GM-50 Series was designed from the ground up to deliver the very latest technological advantages, all in a small, sleek design – you'll appreciate the advantages from the very first measurement.

Featuring a class leading EDM unit, the GM-50 is able to measure up to 4,000 m at 1.5 mm + 2 ppm accuracy, to standard prisms, and can measure in reflectorless mode up to 500 m at an incredible 2 mm + 2 ppm accuracy.

Measurements are captured faster than ever, and with a beam width of 13 mm (at 30 m), the bright red laser dot pinpoint features with ease.

Versatile, Economical Solution

The GM-50 Series is smaller, lighter, with increased storage capacity. Offered at an even more cost-efficient option than previous models, it provides your customers the perfect tool for entry-level site layout and surveying.

Bluetooth® Communication

With integrated Bluetooth® capability and internal antenna, the sleek design enables you to deliver measurements cable-free to your data controller.

Fast and accurate new EDM

Bluetooth® communications (optional)

Advanced angle accuracy

Long battery life – 14 hours

Rugged, waterproof design with IP66 rating

500 m long-range reflectorless measurement

50,000 point internal memory





- 1 500 m non-prism range
- 2 Side mount extra long-life battery
- 3 Optional optical or laser plummet
- 4 Electronic leveling system
- 5 Dual (GM-52 model only), graphic, backlit LCD display and keyboard
- 6 Exclusive “STAR-KEY” functionality
- 7 Tangent lock – securely holds your angle in place
- 8 Easy access, environmentally protected USB 2.0 slot

Tested for toughness

We perform the tough environmental tests to ensure long-term operation even under the rough site environments. GM Series total stations are thoroughly inspected with dust-proof and water-proof test chambers. In addition, the various tests against vibration, drop, temperature, and humidity were successfully passed to achieve the best environmental spec. The measuring distance accuracy test on base line and the instrument leveling and angle accuracy test and adjustment by collimator system ensure your satisfaction on GM Series product quality.






Ultra-powerful, advanced EDM

- 500 m non-prism range
- 4,000 m prism range
- Coaxial red laser pointer
- Pinpoint, precise beamspot



Easy access USB 2.0 memory

- Up to 32GB storage
- Environmentally protected
- Compatible with industry standard thumb drives



Advanced angle encoder system

- 2" or 5" angle accuracy
- Incorporates exclusive IACS on 2" and 5" models (Independent Angle Calibration System)



Rugged, waterproof design

- Waterproof/dustproof IP66 design handles the toughest environments
- Magnesium-alloy housing providing stable angle accuracy
- Graphic display and alphanumeric key board (standard)



Specifications subject to change without notice.
© 2021 Topcon Corporation. All rights reserved.
7010-2251 B 6/21

www.topconpositioning.com/gm-series

